







































































































































































































































Tsai, Y.L., Tran, B., Sangermano, L.R. & Palmer, C.J. (1994). Detection of poliovirus, hepatitis A virus and rotavirus from sewage and ocean water by triplex reverse transcriptase PCR. *Appl. Environ. Microb.* **60**, 2400-2407.

van Regenmortel, M.H.V., Fauquet, C.M., Bishop, D.H.L., Carstens, E.B., Estes, M.K., Lemon, S.M., Maniloff, J., Mayo, M.A., McGeoch, D.J., Pringle, C.R. & Wickner, R.B. (editors) (2000). *Virus Taxonomy. Seventh Report of the International Committee of Taxonomy of viruses*. San Diego: Academic Press.

Weiland, J.J. & Dreher, T.W. (1989). Infectious TYMV RNA from cloned cDNA: Effects *in vitro* and *in vivo* of point substitutions in the initiation codons of two extensively overlapping ORFs. *Nucleic Acids Res.* **17**, 4675-4687.

Wieggers, F.P. (1988). Transmission of honeybee viruses by *Varroa jacobsoni* Oud. In *European research on varroa control*, pp. 99-104. Edited by R. Cavalloro. Commission of the European Communities: Rotterdam.

Williams, I.H. (1994). The dependence of crop production within the European Union on pollination by honeybees. *Agr. Sci. Rev.* **6**, 229-257.

Williams, K., Blake, S., Sweeney, A., Singer, J.T. & Nicholson, B.L. (1999). Multiplex reverse transcriptase PCR assay for simultaneous detection of three fish viruses. *J. Clin. Microbiol.* **37**, 4139-4141.

Wilson, J.E., Powell, M.J., Hoover, S.E. & Sarnow, P. (2000). Naturally occurring dicistronic *cricket paralysis virus* RNA is regulated by two internal ribosome entry sites. *Mol. Cell. Biol.* **20**, 4990-4999.

Wilson, L.E., Wilkinson, S.A., Marlow, R.D., Possee, R.D. & King, L.A. (1997). Identification of recombinant baculovirus using green fluorescent protein as a selectable marker. *Biotechniques* **22**, 678-681.

Woolaway, K.E., Lazaridis, K., Belsham, G. J., Carter, M. J. & Roberts, L. O. (2001). The 5' UTR of *Rhopalosiphum padi* virus (RhPV) contains an internal ribosome entry site (IRES) which functions efficiently in mammalian, insect and plant translation systems. *J. Virol.* **75**, 10244–10249.

Yao, J.S., Strauss, E.G. and Strauss, J.H. (1996). Interactions between PE2, E1 and 6K required for assembly of Alphaviruses studied with chimeric viruses. *J. Virol.* **70**, 7910-7920.

